

**To:** Nonresponsive based on revised scope @tetrattech.com]  
**Cc:** Nonresponsive based on revised scope @tetrattech.com]  
**From:** Wagner, Christine[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]  
**Sent:** Fri 8/12/2022 2:09:57 PM (UTC)  
**Subject:** RE: CT9448/ SHILOH CHURCH ROAD REMOVAL/ RAS Case Number 50228

Thank you for this notification!

**From:** Nonresponsive based on revised scope @tetrattech.com>  
**Sent:** Friday, August 12, 2022 8:40 AM  
**To:** Nonresponsive based on revised scope @epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>  
**Cc:** Nonresponsive based on revised scope @tetrattech.com>; R3 ESC-CLIENTS <R3\_ESCCLIENTS@epa.gov>; Roberson, Sharon <Roberson.Sharon@epa.gov>; Nonresponsive based on revised scope @tetrattech.com>  
**Subject:** Re: CT9448/ SHILOH CHURCH ROAD REMOVAL/ RAS Case Number 50228

Good morning,

One cooler was shipped from the Shiloh Church Road Site. Please see the attached Regional COC for reference.

Lab: Chemtech Consulting Group

Case: 50228

Analysis: Trace VOCs, PCB Aroclors, Metals

Fed-Ex Tracking: 777637857760

Nonresponsive based on revised scope

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.*

**From:** Nonresponsive based on revised scope @epa.gov>  
**Sent:** Friday, August 5, 2022 1:22 PM  
**To:** Wagner, Christine <Wagner.Christine@epa.gov>  
**Cc:** Nonresponsive based on revised scope @tetrattech.com>; Nonresponsive based on revised scope @tetrattech.com>; R3 ESC-CLIENTS <R3\_ESCCLIENTS@epa.gov>  
**Subject:** CT9448/ SHILOH CHURCH ROAD REMOVAL/ RAS Case Number 50228

**CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments.

**CLIENT’S LABORATORY ASSIGNMENT NOTIFICATION**

The SHILOH CHURCH ROAD REMOVAL request you submitted August 5, 2022 has been assigned RAS Case Number 50228; you will receive a separate notification from the Sample Management Office (SMO) once all laboratory assignments have been made.

Please follow all instructions regarding notification of sample shipments for your RAS Case.

*Please Email Copies Of The Regional Chain of Custody Forms Within, 24 Hours, After Samples Have Shipped, To: [R3\\_ESCCLIENTS@epa.gov](mailto:R3_ESCCLIENTS@epa.gov) & [Roberson.Sharon@epa.gov](mailto:Roberson.Sharon@epa.gov)*

If you have any questions, please do not hesitate to contact me.

**Nonresponsive based on revised scope**